

NIKAI®



**PRODUCT
CATALOGUE**

2022-2023

www.nikai.com



CHEST FREEZERS





Double Door



Single Door

Product Features

- External Condenser • Tropicalized Compressor
- High Energy efficiency Cooling System
- Silent Operation • Fast Cooling Technology
- Stucco Embossed Aluminium Inner

- مكثف خارجي • ضاغط استوائي
- نظام تبريد بكفاءة طاقة عالية
- تشغيل صامت • تقنية تبريد سريع
- طبقة داخلية من الألمنيوم المزين بالنقوش



LOCK AND KEY



FAST COOLING



WITH CASTOR



CFC FREE



R600A REFRIGERANT

Product Range & Specifications

Model	NCF675DD9E	NCF500N9E	NCF450N9E	NCF400N9E	NCF350N9E	NCF250N9E	NCF200N9E	NCF150N9E
Origin	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA
Door/Number	Foam/Single	Foam/Single	Foam/Single	Foam/Single	Foam/Single	Foam/Single	Foam/Single	Foam/Single
Color Body/Inside	White/Stucco Aluminum							
Condenser	External	External	External	External	External	External	External	External
Refrigerant	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a
Lock & Key/ Castor	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Basket/Type	2/Metal Coating	2/Metal Coating	2/Metal Coating	2/Metal Coating	1/Metal Coating	1/Metal Coating	1/Metal Coating	1/Metal Coating
Voltage, Frequency, Phase	220-240V/50Hz							
Compressor Fan	Yes	Yes	No	No	No	No	No	No
Dimension (MM)	1680 X 705 X 845	1350 X 705 X 845	1266 X 635 X 845	1113 X 635 X 845	950 X 635 X 845	872 X 555 X 845	750 X 555 X 845	570 X 555 X 845
Product/ Pack (L X D X H)	1930 X 755 X 880	1380 X 745 X 880	1310 X 705 X 880	1143 X 675 X 880	980 X 665 X 880	902 X 585 X 880	780 X 585 X 880	600 X 585 X 880
Stuffing/ 40"HQ	59	73	80	106	124	156	182	248



NCF500N8BS



Double Door

Product Features

- Internal Condenser • Tropicalized Compressor
- High Energy efficiency Cooling System
- Silent Operation • Fast Cooling Technology
- White Aluminium Inner For Easy Cleaning

- مكثف داخلي • ضاغط استوائي
- نظام تبريد بكفاءة طاقة عالية
- تشغيل صامت • تقنية تبريد سريع
- جوف الألمنيوم أبيض لسهولة التنظيف



LOCK AND KEY



FAST COOLING



WITH CASTOR



CFC FREE



R600A REFRIGERANT

Product Range & Specifications

Model	NCF700N7DDS1	NCF500N8BS	NCF440N7S1	NCF340N7S1	NCF260N7S1	NCF200N7S1	NCF200N7S1	NCF150N7
Origin	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA
Door/Number	Foam/Double	Foam/Single	Foam/Single	Foam/Single	Foam/Single	Foam/Single	Foam/Single	Foam/Single
Color Body/ Inside	Silver/White Painted Aluminum	Marble Silver/White Painted Aluminium	Silver/White Painted Aluminum	Silver/White Painted Aluminum	Silver/White Painted Aluminum	Silver/White Painted Aluminum	Silver/White Painted Aluminum	White/White
Condenser	Inside	Inside	Inside	Inside	Inside	Inside	Inside	Inside
Refrigerant	R600a/R134a	R600a/R134a	R600a/R134a	R600a	R600a	R600a	R600a	R600a
Lock & Key/ Castor	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Optional/Yes
Basket/Type	2/Metal Coating	2/Metal Coating	2/Metal Coating	2/Metal Coating	1/Metal Coating	1/Metal Coating	1/Metal Coating	1/Metal Coating
Voltage, Frequency, Phase	220-240V/50Hz							
Compressor Fan	Yes	Yes	Yes	No	No	No	No	No
Dimension (MM)	1680 X 705 X 845	1326 X 755 X 860	1350 X 705 X 845	1113 X 635 X 845	872 X 555 X 845	750 X 555 X 845	570 X 555 X 845	530 X 525 X 833
Product/Pack (L X D X H)	1930 X 755 X 880	1378 X 766 X 889	1380 X 745 X 880	1143 X 675 X 880	902 X 585 X 880	780 X 585 X 880	600 X 585 X 880	580 X 550 X 875
Stuffing/ 40 HC	59	74	73	106	156	182	248	263

*Product Image, Range & Specification subject to change without prior notice for product improvement & compliance requirements.



Double Door



Single Door

Product Features

- External Condenser • Tropicalized Compressor
- High Energy efficiency Cooling System
- Silent Operation • Fast Cooling Technology
- Stucco Embossed Aluminium Inner

- مكثف خارجي • ضغط استوائي
- نظام تبريد بكفاءة طاقة عالية
- تشغيل صامت • تقنية تبريد سريع
- طبقة داخلية من الألمنيوم المزين بالنقوش



LOCK AND KEY



FAST COOLING



WITH CASTOR



CFC FREE



R600A REFRIGERANT

Product Range & Specifications

Model	NCF675DD8E	NCF500N8E	NCF410N8E	NCF350N8E	NCF270N8E	NCF210N8E	NCF160N8E
Origin	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA
Door/Number	Foam/Double	Foam/Single	Foam/Single	Foam/Single	Foam/Single	Foam/Single	Foam/Single
Color Body/Inside	White/Stucco Aluminium						
Condenser	External	External	External	External	External	External	External
Refrigerant	R290/R134a	R290/R134a	R600a	R600a	R600a	R600a	R600a
Lock & Key/ Castor	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Basket/Type	2/Metal Coating	2/Metal Coating	2/Metal Coating	1/Metal Coating	1/Metal Coating	1/Metal Coating	1/Metal Coating
Voltage, Frequency, Phase	220-240V/50Hz						
Compressor Fan	Yes	Optional	Optional	Optional	Optional	No	No
Dimension (MM) Product/Pack (L X D X H)	1630 X 700 X 846 1665 X 765 X 890	1318 X 700 X 846 1360 X 765 X 885	1120 X 600 X 846 1160 X 660 X 885	1035 X 565 X 846 1075 X 625 X 885	946 X 520 X 846 986 X 580 X 885	750 X 520 X 846 790 X 580 X 885	535 X 520 X 846 575 X 585 X 885
Stuffing/ 40 HC	63	74	106	120	142	178	240



Single Door



Double Door

Product Features

- Internal Condenser • Tropicalized Compressor
- High Energy efficiency Cooling System
- Silent Operation • Fast Cooling Technology
- White Aluminium Inner For Easy Cleaning

- مكثف داخلي • ضاغط استوائي
- نظام تبريد بكفاءة عالية
- تشغيل صامت • تقنية تبريد سريع
- جوف الألمنيوم أبيض لسهولة التنظيف



LOCK AND KEY



FAST COOLING



WITH CASTOR



CFC FREE



R600A REFRIGERANT

Product Range & Specifications

Model	NCF700N7DDS	NCF540N7S	NCF440N7S	NCF340N7S	NCF300N7S	NCF260N7S	NCF200N7S	NCF150N7S
Origin	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA
Door/Number	Foam/Double	Foam/Single	Foam/Single	Foam/Single	Foam/Single	Foam/Single	Foam/Single	Foam/Single
Color Body/Inside	Silver/White Painted Aluminum							
Condenser	Inside	Inside	Inside	Inside	Inside	Inside	Inside	Inside
Refrigerant	R600a/R134a	R600a/R134a	R600a	R600a	R600a	R600a	R600a	R600a
Lock & Key/ Castor	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Basket/Type	2/Metal Coating	2/Metal Coating	2/Metal Coating	2/Metal Coating	1/Metal Coating	1/Metal Coating	1/Metal Coating	1/Metal Coating
Voltage, Frequency, Phase	220-240V/50Hz							
Compressor Fan	Yes	Yes	Optional	Optional	Optional	Optional	No	No
Dimension (MM)	1855 X 749 X 850	1650 X 760 X 850	1350 X 720 X 830	1100 X 640 X 850	1050 X 560 X 850	960 X 560 X 850	680 X 560 X 850	566 X 560 X 850
Product/ Pack (L X D X H)	1930 X 785 X 880	1695 X 760 X 889	1395 X 760 X 882	1150 X 685 X 880	1100 X 600 X 880	1010 X 580 X 880	715 X 580 X 880	590 X 580 X 880
Stuffing/ 40 HC	45	62	74	102	126	138	192	238


*Product Image, Range & Specification subject to change without prior notice for product improvement & compliance requirements.



With Castor



Stucco Embossed Aluminium Inner



External Condenser

Product Features

- External Condenser • Tropicalized Compressor
- High Energy efficiency Cooling System
- Silent Operation • Fast Cooling Technology
- Stucco Embossed Aluminium Inner

- مكثف خارجي • ضاغط استوائي
- نظام تبريد بكفاءة طاقة عالية
- تشغيل صامت • تقنية تبريد سريع
- طبقة داخلية من الألمنيوم المزين بالنقوش



LOCK AND KEY



FAST COOLING



WITH CASTOR



CFC FREE



R600A REFRIGERANT

Product Range & Specifications

Model	NCF700DDE	NCF540N6E	NCF442N5E	NCF342N5E	NCF262N5E	NCF202N5E	NCF152N5E
Origin	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA
Interior/Doors	Aluminium/Foam	Aluminium/Foam	Aluminium/Foam	Aluminium/Foam	Aluminium/Foam	Aluminium/Foam	Aluminium/Foam
Color	White/Stucco Aluminium						
Condenser	External	External	External	External	External	External	External
Refrigerant	R600a	R600a	R600a	R600a	R600a	R600a	R600a
Lock & Key/ Castor/Handle		Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes
Basket	3	2	2	1	1	1	1
Voltage, Frequency	220-240V/50Hz						
Dimension (MM) Product/Pack (L X D X H)	1855 X 749 X 850 1930 X 785 X 880	1650 X 720 X 830 1695 X 760 X 882	1300 X 700 X 845 1325 X 730 X 885	960 X 700 X 845 985 X 730 X 885	905 X 545 X 845 930 X 575 X 885	705 X 545 X 845 730 X 575 X 885	545 X 545 X 845 570 X 575 X 885
Stuffing/ 40 HC	45	62	75	105	149	193	248



NCF440N6 - NCF340N5



NCF260N5 - NCF150N7

Product Features

- Internal Condenser • Tropicalized Compressor
- High Energy efficiency freezing system
- Silent Operation • Fast Cooling Technology
- White Inner technology for Easy cleaning
- Scratch proof door design

- مكثف داخلي • ضاغط استوائي
- نظام تجميد بكفاءة طاقة عالية
- تشغيل صامت • تقنية تبريد سريع
- مكثف داخلي أبيض
- تقنية بي سي إم الداخلية لتنظيف سهل

LOCK AND
KEYFAST
COOLINGWITH
CASTORCFC
FREER600A
REFRIGERANT

Product Range & Specifications

Model	NCF440N6	NCF340N5	NCF260N5	NCF200N5	NCF150N5	NCF150N7
Origin	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA
Interior/Doors	White/Foam	White/Foam	White/Foam	White/Foam	White/Foam	White/Foam
Color	White	White	White	White	White	White
Condenser	Internal	Internal	Internal	Internal	Internal	Internal
Refrigerant	R600a	R600a	R600a	R600a	R600a	R600a
Lock & Key/Castor Handle	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes
Basket	Yes/2	Yes/2	Yes/2	Yes	Yes	Yes
Voltage, Frequency	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Dimension(MM) Product/Pack(LDXH)	1300 X 700 X 845 1325 X 730 X 885	960 X 700 X 845 985 X 730 X 885	905 X 545 X 845 930 X 575 X 885	705 X 545 X 845 730 X 575 X 885	545 X 545 X 845 570 X 575 X 885	530 X 525 X 833 560 X 555 X 875
Stuffing/ 40 HC	75	105	149	193	248	263



Sliding Flat Glass with Foamed Door
NCF442N5EG - NCF262N5EG



Sliding Curve Glass Door
NCF390GL/ NCF400GL

Product Features

- Low e coated Toughened Glass • Tropicalized Compressor • High Energy efficiency Cooling System
- Silent Operation • Fast Cooling Technology
- Stucco Embossed Aluminium Inner

- زجاج مقسى بتغليف منخفض
- ضاغط استوائي • نظام تبريد بكفاءة طاقة عالية
- تشغيل صامت • تقنية تبريد سريع
- طبقة داخلية من الألمنيوم المزين بالنقوش



LOCK AND KEY



FAST COOLING



WITH CASTOR



CFC FREE



R600A REFRIGERANT

Product Range & Specifications

Model	NCF442N5EG	NCF342N5EG	NCF262N5EG	NCF400GL1
Origin	CHINA	CHINA	CHINA	CHINA
Interior/Doors	Aluminium/Foam+Glass	Aluminium/Foam+Glass	Aluminium/Foam+Glass	Aluminium/Glass
Color	White	White	White	White
Condenser	External	External	External	External
Refrigerant	R600a	R600a	R600a	R600a/R134a
Lock & Key/Castor/Handle	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes
Basket	Yes	Yes	Yes	Yes
Voltage, Frequency	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz	220-240V/50Hz
Dimension (MM)	1300 X 700 X 845	960 X 700 X 845	905 X 545 X 845	1225 X 650 X 830
Product/Pack (L X D X H)	1325 X 730 X 885	985 X 730 X 885	930 X 575 X 885	1285 X 735 X 860
Stuffing/ 40 HC	75	105	149	78



Product Features

- Vertical handle • Reversible door
- Inside condenser • Energy saving & low noise
- Adjustable front legs • Knock down door gasket
- Full range temperature control
- Sturdy slide out shelves • Transparent drawers


- قبضة عمودية • باب بحركة عكسية
- مكثف داخلي • توفير طاقة وضجيج منخفض
- أرجل أمامية قابلة للتعديل • مدقة باب
- تحكم كامل مدى درجة الحرارة
- رفوف قوية تسحب إلى الخارج • أدراج شفافة



LOCK AND
KEY



FAST
COOLING



WITH
CASTOR



CFC
FREE



R600A
REFRIGERANT

Product Range & Specifications

Model	NUF400FFS	NUF400FFW
Origin	CHINA	CHINA
Door/Number/Type	Foam/1/No Frost	Foam/1/No Frost
Color/Finish	Silver/VCM	White/VCM
Condenser	Internal	Internal
Refrigerant	R600a	R600a
Lock & Key	Yes/Yes	Yes/Yes
Drawers/Display Shelf	4/3	4/3
Voltage, Frequency, Phase	240V, 50Hz, 1 Ph	240V, 50Hz, 1 Ph
Dimension (MM)	590 X 610 X 1742	590 X 610 X 1742
Product/Pack (L X D X H)	630 X 640 X 1840	630 X 640 X 1840
Stuffing/ 40 HC	76	76

*Product Image, Range & Specification subject to change without prior notice for product improvement & compliance requirements.



Product Features

- Vertical handle • Reversible door
- Inside condenser • Energy saving & low noise
- Adjustable front legs • Knock down door gasket
- Full range temperature control
- Sturdy slide out shelves • Transparent drawers

- قبضة عمودية • باب بحركة عكسية
- مكثف داخلي • توفير طاقة وضجيج منخفض
- أرجل أمامية قابلة للتعديل • مدقة باب
- تحكم بكامل مدى درجة الحرارة
- رفوف قوية تسحب إلى الخارج • أدراج شفافة



LOCK AND
KEY



FAST
COOLING



WITH
CASTOR



CFC
FREE



R600A
REFRIGERANT

Product Range & Specifications

Model	NUF350N2W	NUF356W	NUF250N2W	NUF256W
Origin	CHINA	CHINA	CHINA	CHINA
Door/Number/Type	Foam/1/Defrost	Foam/1/Defrost	Foam/1/Defrost	Foam/1/Defrost
Color/Finish	White/PCM	White/PCM	White/PCM	White/PCM
Condenser	Internal	Internal	Internal	Internal
Refrigerant	R600a	R600a	R600a	R600a
Lock & Key/Handle	Yes/External	Yes/External	Yes/External	Yes/External
Drawers/Display	7/Adjustable	7/Adjustable	6/Adjustable	6/Adjustable
Voltage, Frequency, Phase	240V, 50Hz, 1 Ph	240V, 50Hz, 1 Ph	240V, 50Hz, 1 Ph	240V, 50Hz, 1 Ph
Dimension (MM)	596 X 595 X 1744	600 X 590 X 1720	550 X 575 X 1395	548 X 560 X 1410
Product/Pack (L X D X H)	630 X 620 X 1783	635 X 625 X 1765	570 X 600 X 1455	580 X 590 X 1435
Stuffing/ 40 HC	77	76	142	142



Product Features

- Inside condenser • With fan • With vertical light
- Adjustable wire shelves • With lock & universal castor
- Caster wheels • Swing Doors • Adjustable thermostat
- High efficiency and tropicalized compressor
- Eco friendly Gas • With digital indicator


- مكثف داخلي • مع المروحة • مع إنارة رأسية
- أرفف سلك قابلة للتعديل • أبواب دوارة
- مع قفل ودولاب عالمي • عجلات • جهاز لتنظيف
- الحرارة قابل للتعديل • أداء عالي وضغط مداري
- غاز صديق للبيئة • مؤشر رقمي



LOCK AND
KEY



FAST
COOLING



WITH
CASTOR



CFC
FREE



R600A
REFRIGERANT

Product Range & Specifications

Model	NSF1100SD1	NSF650SD1
Origin	CHINA	CHINA
Door/Number/Type	2/Glass/Swing Door	2/Glass/Swing Door
Body Color/Door Color	White/Metalic Chrome Door	White/Metalic Chrome Door
Condenser	Internal	Internal
Refrigerant	R600a/R134a	R600a/R134a
Lock & Key/Castor	Yes/Yes	Yes/Yes
Shelf/Type	5/Adjustable	4/Adjustable
Voltage, Frequency, Phase	240V, 50Hz, 1 Ph	240V, 50Hz, 1 Ph
Dimension (MM)	1220 X 575 X 1995	950 X 575 X 1920
Product/Pack (L X D X H)	1280 X 640 X 2025	1010 X 640 X 1950
Stuffing/ 40 HC	27	41

*Product Image, Range & Specification subject to change without prior notice for product improvement & compliance requirements.



Product Features

- Inside condenser • With fan • With vertical light
- Adjustable wire shelves • With lock & universal castor
- Caster wheels • Sliding Doors • Adjustable thermostat
- High efficiency and tropicalized compressor
- Eco friendly Gas • With digital indicator

- مكثف داخلي • مع المروحة • مع إنارة رأسية
- أرفف سلك قابلة للتعديل • أبواب منزلقة
- مع قفل ودولاب عالمي • عجلات • جهاز لتنظيف
- الحرارة قابل للتعديل • أداء عالي وضغط مداري
- غاز صديق للبيئة • مؤشر رقمي



LOCK AND KEY



FAST COOLING



WITH CASTOR



CFC FREE



R600A REFRIGERANT

Product Range & Specifications

Model	NSF1250SD	NSF1100SD	NSF650SD	NSF400	NSF350	NSF300
Origin	CHINA	CHINA	CHINA	CHINA	CHINA	CHINA
Door/Number/Type	2/Glass/Sliding/ (Swing optional)	2/Glass/Sliding/ (Swing optional)	2/Glass/Sliding	1/Glass/Swing	1/Glass/Swing	1/Glass/Swing
Body Color/Door Color	White/Black Door	White/Black Door	White/Black Door	White/Black Door	White/Black Door	White/Black Door
Condenser	Internal	Internal	Internal	Outside	Outside	Outside
Refrigerant	R600a	R600a	R600a	R600a/R134a	R600a/R134a	R600a/R134a
Lock & Key/Castor	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes	Yes/Yes/Yes
Shelf/Type	5/Adjustable	5/Adjustable	4/Adjustable	4	4	3
Voltage, Frequency, Phase	240V, 50Hz, 1 Ph	240V, 50Hz, 1 Ph	240V, 50Hz, 1 Ph	240V, 50Hz, 1 Ph	240V, 50Hz, 1 Ph	240V, 50Hz, 1 Ph
Dimension (MM) Product/Pack (L X D X H)	1520 X 620 X 2010 1565 X 655 X 2050	1200 X 620 X 2010 1250 X 665 X 2050	1000 X 620 X 2010 1050 X 665 X 2050	595 X 625 X 1965 620 X 655 X 2020	555 X 545 X 1930 580 X 590 X 2000	555 X 595 X 1800 580 X 620 X 1875
Stuffing/ 40 HC	25	28	36	72	101	104

*Product Image, Range & Specification subject to change without prior notice for product improvement & compliance requirements.



Product Features

- Inside condenser • With fan • With vertical light
- Adjustable wire shelves • With lock & universal castor
- Caster wheels • Sliding Doors • Adjustable thermostat
- High efficiency and tropicalized compressor
- Eco friendly Gas • With digital indicator

- مكثف داخلي • مع المروحة • مع إنارة رأسية
- أرفف سلك قابلة للتعديل • أبواب منزلقة
- مع قفل ودولاب عالمي • عجلات • جهاز لتنظيف
- الحرارة قابل للتعديل • أداء عالي وضغط مداري
- غاز صديق للبيئة • مؤشر رقمي



LOCK AND
KEY



FAST
COOLING



WITH
CASTOR



CFC
FREE



R600A
REFRIGERANT

Product Range & Specifications

Model	NSF1100DD22	NSF700DD22	NSF410	NSF360
Origin	CHINA	CHINA	CHINA	CHINA
Door/Number/Type	2/Glass/Swing	2/Glass/Swing	1/Swing	1/Swing
Body Color/Door Color	White/Black Door	White/Black Door	White/Black Door	White/Black Door
Condenser	Internal/External	Internal/External	Internal/External	Internal/External
Refrigerant	R134a/R600a	R134a/R600a	R600a	R600a
Lock & Key/Castor	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
Shelf/Type	4/Adjustable	4/Adjustable	4/Adjustable	4/Adjustable
Voltage, Frequency, Phase	240V, 50Hz, 1 Ph	240V, 50Hz, 1 Ph	240V, 50Hz, 1 Ph	240V, 50Hz, 1 Ph
Dimension (MM)	1120 X 590 X 1915	940 X 540 X 1930	600 X 630 X 1952	600 X 525 X 1882
Product/Pack (L X D X H)	1160 X 660 X 2000	990 X 590 X 2030	660 X 680 X 2000	660 X 575 X 1930
Stuffing/ 40 HC	36	43	74	96

*Product Image, Range & Specification subject to change without prior notice for product improvement & compliance requirements.

NIKAI®

Showroom: Tel: +971 4 3368090. Fax: +971 4 3368091
Service Centre: +971 4 8850055. Toll Free: 800-NIKAI (800-64524)
Email: customercare@nikai.com. Website: www.nikai.com
 www.facebook.com/NikaiGroup

For Wholesale Enquiries: Tel: +971 4 2561386
Email: Wssupport@nikai.com
Service Contact No: +971 56 4180125
Email: Wsservice@nikai.com